

**2006**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**  
where available

**Special Locality Report**  
**100**  
City of Alexandria

Information in this report is included in Report  
**00**  
(Arlington County)

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Frontage Road (F precedes frontage route number)	
	Secondary Route	

### Special Routes

	Bus - Business Route
	Bypas - Bypass Route
	Truck - Truck Route
	ALT - Alternate Route
	Wve - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria













Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Alexandria, I-95, I-495															
1 Patrick St	City of Alexandria (Maint: 00)	0.51	68000	G	98%	1%	1%	0%	0%	0%	F	NA			71000	G
	To: Franklin St															
1 Patrick St	City of Alexandria	0.15	68000	N	98%	1%	1%	0%	0%	0%	N	NA			71000	N
	To: Wilkes St, US 1 Par															
1 Patrick St	City of Alexandria	0.36	21000	F	98%	1%	1%	0%	0%	0%	F	0.081	F		22000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	F	98%	1%	1%	0%	0%	0%	F	0.064	F	0.638	44000	F
	To: King St															
1 Patrick St	City of Alexandria	0.72	20000	F	98%	1%	1%	0%	0%	0%	F	0.083	F		21000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	F	97%	1%	1%	1%	0%	0%	F	0.064	F	0.521	44000	F
	To: 1st St															
1 Patrick St	City of Alexandria	0.44	49000	F	98%	1%	1%	0%	0%	0%	F	0.071	F	0.525	51000	F
	To: Monroe Ave															
1 Jefferson Davis Hwy	City of Alexandria	1.35	41000	F	98%	1%	1%	0%	0%	0%	F	0.077	F	0.506	43000	F
	To: NCL Alexandria															
	From: Wilkes St															
1 Henry St	City of Alexandria	0.36	21000	F	98%	1%	1%	0%	0%	0%	F	0.076	F		21000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	F	98%	1%	1%	0%	0%	0%	F	0.064	F	0.638	44000	F
	To: SR 7 King St															
1 Henry St	City of Alexandria	0.72	22000	F	97%	1%	1%	1%	1%	0%	C	0.072	F		23000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		42000	F	97%	1%	1%	1%	0%	0%	F	0.064	F	0.521	44000	F
	To: 1st Street															
	From: WCL Alexandria															
7 King St	City of Alexandria	1.09	48000	F	97%	1%	1%	1%	1%	0%	F	0.074	F	0.568	51000	F
	To: I-395															
7 King St	City of Alexandria	0.65	21000	F	97%	1%	1%	1%	1%	0%	F	0.081	F	0.568	23000	F
	To: Braddock Rd															
7 King St	City of Alexandria	1.91	13000	F	97%	1%	1%	1%	1%	0%	F	0.089	F	0.586	14000	F
	To: Russell Rd															
7 King St	City of Alexandria	0.38	15000	F	97%	1%	1%	1%	1%	0%	F	0.089	F	0.59	16000	F
	To: West St															
7 King St	City of Alexandria	0.48	7600	F	97%	1%	1%	1%	1%	0%	F	0.084	F	0.534	8100	F
	To: Washington St															
	From: Fairfax County Line															
North 95 Capital Beltway	City of Alexandria (Maint: 29)	0.37	70000	G	90%	1%	1%	1%	7%	0%	F	NA			73000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		143000	G	90%	1%	1%	1%	7%	0%	F	NA			150000	G
	Capital Beltway is also signed as I-495															
	To: US 1 Richmond Hwy															

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
	From:	US 1 Richmond Hwy					2Axle	3+Axle	1Trail	2Trail						
North (95) Capital Beltway	City of Alexandria (Maint: 29)	0.95	79000	G	90%	1%	1%	1%	7%	0%	F	NA			82000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 151000					G	90%	1%	1%	7%	0%	F	NA		158000	G
	Capital Beltway is also signed as I-495															
	To:	District of Columbia Line, Potomac River														
	From:	Fairfax County Line														
South (95) Capital Beltway	City of Alexandria (Maint: 29)	0.71	73000	G	90%	1%	1%	1%	7%	0%	F	NA			76000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 143000					G	90%	1%	1%	7%	0%	F	NA		150000	G
	Capital Beltway is also signed as I-495															
	To:	US 1 Patrick St														
South (95) Capital Beltway	City of Alexandria (Maint: 29)	0.61	72000	G	90%	1%	1%	1%	7%	0%	F	NA			76000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 151000					G	90%	1%	1%	7%	0%	F	NA		158000	G
	Capital Beltway is also signed as I-495															
	To:	District of Columbia Line, Potomac River														
	From:	Fairfax County Line														
(236) Duke Street	City of Alexandria (Maint: 29)	0.06	38000	N	99%	1%	0%	0%	0%	0%	N	0.083	N	0.534	40000	N
	To:	WCL Alexandria														
(236) Duke St	City of Alexandria (Maint: 29)	0.34	54000	F	99%	1%	0%	0%	0%	0%	F	0.070	F	0.515	58000	F
	To:	I-395														
(236) Duke St	City of Alexandria	0.32	64000	F	97%	1%	1%	0%	0%	0%	F	0.073	F	0.517	69000	F
	To:	SR 401 Van Dorn St														
(236) Duke St	City of Alexandria	0.36	39000	F	97%	1%	1%	0%	0%	0%	F	0.073	F	0.538	42000	F
	To:	N Pickett St														
(236) Duke St	City of Alexandria	2.66	30000	F	97%	1%	1%	0%	0%	0%	C	0.075	F	0.564	32000	F
	To:	SR 241 Telegraph Rd														
(236) Duke St	City of Alexandria	1.26	22000	F	97%	1%	1%	0%	0%	0%	C	0.073	F	0.518	24000	F
	To:	US 1 SB Henry St														
(236) Duke St	City of Alexandria	0.24	12000	F	96%	1%	2%	0%	1%	0%	C	0.072	F	0.529	13000	F
	To:	SR 400 Washington St														
	From:	Fairfax County Line														
(241) Telegraph Rd	City of Alexandria (Maint: 29)	0.39	56000	N	98%	1%	1%	0%	0%	0%	N	0.079	N	0.716	60000	N
	To:	Maintenance Break														
(241) Telegraph Rd	City of Alexandria	0.21	53000	F	98%	1%	1%	0%	0%	0%	F	0.079	F	0.699	57000	F
	To:	SR 236 WB														
	From:	Fairfax County Line														
North (395)	City of Alexandria (Maint: 29)	0.21	76000	A	98%	0%	1%	1%	1%	0%	C	0.077	A		79000	A
	Combined Traffic Estimates for 3 Parallel Roadways on this Route: 184000					A	98%	1%	1%	1%	0%	C	NA		199000	A
	To:	SR 236 Duke St														



Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 	From: SR 236 Duke St															
	City of Alexandria (Maint: 29)	1.64	<b>69000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	0.073	F		72000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>172000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	0.068	F	0.567	187000	G
North 	To: Seminary Rd															
	City of Alexandria (Maint: 29)	1.11	<b>72000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	0.077	F		75000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>166000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	0.073	F		181000	G
North 	To: SR 7 King St, Arlington County Line															
	From: Quaker Lane, Arlington County Line															
	City of Alexandria (Maint: 00)	0.26	<b>85000</b>	<b>G</b>	98%	0%	1%	1%	1%	0%	F	0.079	F		88000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>193000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	NA			210000	G
	To: Arlington County Line															
Rev 	From: Fairfax County Line															
	City of Alexandria (Maint: 29)	2.19	<b>29000</b>	<b>A</b>	98%	1%	0%	0%	0%	0%	C	0.132	A		37000	A
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>184000</b>	<b>A</b>	98%	1%	1%	1%	1%	0%	C	NA			199000	A
Rev 	To: Seminary Rd															
	From: City of Alexandria (Maint: 29)	0.71	<b>31000</b>	<b>G</b>	98%	1%	0%	0%	0%	0%	F	0.092	F		40000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>166000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	0.073	F		181000	G
Rev 	To: SR 7; Arlington County Line															
	From: Quaker Lane; Arlington County Line															
	City of Alexandria (Maint: 00)	0.26	<b>33000</b>	<b>G</b>	98%	1%	0%	0%	0%	0%	F	0.088	F		44000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>193000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	NA			210000	G
	To: Arlington County Line															
South 	From: Fairfax County Line															
	City of Alexandria (Maint: 29)	0.71	<b>79000</b>	<b>A</b>	97%	1%	1%	1%	1%	0%	C	0.083	A		82000	A
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>184000</b>	<b>A</b>	98%	1%	1%	1%	1%	0%	C	NA			199000	A
South 	To: SR 236 Duke St															
	From: City of Alexandria (Maint: 29)	1.44	<b>74000</b>	<b>G</b>	97%	1%	1%	1%	1%	0%	F	0.076	F		78000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>172000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	0.068	F	0.567	187000	G
South 	To: Seminary Rd															
	From: City of Alexandria (Maint: 29)	0.75	<b>63000</b>	<b>G</b>	97%	1%	1%	1%	1%	0%	F	0.081	F		66000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>166000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	0.073	F		181000	G
South 	To: SR 7 King St, Arlington County Line															
	From: Quaker Lane, Arlington County Line															
	City of Alexandria (Maint: 00)	0.26	<b>74000</b>	<b>G</b>	97%	1%	1%	1%	1%	0%	F	0.084	F		78000	G
	Combined Traffic Estimates for 3 Parallel Roadways on this Route:		<b>193000</b>	<b>G</b>	98%	1%	1%	1%	1%	0%	F	NA			210000	G
	To: Arlington County Line															
  Washington St	From: George Washington Memorial Parkway SCL Alexandria															
	To: City of Alexandria	0.91	<b>28000</b>	<b>F</b>	100%	0%	0%	0%	0%	0%	C	0.106	F	0.795	30000	F
	To: SR 236 Duke St															

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
400 90005 Washington St	City of Alexandria	From: SR 236 Duke St	0.32	30000	F	100%	0%	0%	0%	0%	F	0.078	F	0.796	33000	F
		To: Queen St														
400 90005 Washington St	City of Alexandria	From: Queen St	0.39	33000	F	100%	0%	0%	0%	0%	F	0.085	F	0.801	36000	F
		To: Madison St														
400 90005 Washington St	City of Alexandria	From: Madison St	0.17	33000	F	100%	0%	0%	0%	0%	F	0.08	F	0.586	35000	F
		To: 1st Street; George Washington Memorial Parkway														
401 Van Dorn St	City of Alexandria	From: SCL Alexandria	0.62	51000	F	97%	1%	1%	1%	0%	F	0.076	F	0.513	55000	F
		To: Edsall Rd														
401 Van Dorn St	City of Alexandria	From: Edsall Rd	0.43	36000	F	97%	1%	1%	1%	0%	C	0.077	F	0.536	38000	F
		To: SR 236 Duke St														
401 Van Dorn St	City of Alexandria	From: SR 236 Duke St	1.56	23000	F	98%	0%	1%	0%	0%	C	0.089	F	0.746	25000	F
		To: Seminary Ave														
402 Quaker Lane	City of Alexandria	From: SR 420 Seminary Rd	0.69	19000	F	98%	1%	1%	1%	0%	F	0.078	F	0.61	21000	F
		To: SR 7 King St														
402 Quaker Lane	City of Alexandria	From: SR 7 King St	0.96	19000	F	98%	1%	1%	1%	0%	C	0.089	F	0.574	21000	F
		To: I-395														
420 Seminary Rd	City of Alexandria	From: I-395 Shirley Hwy, 100-6706	1.72	15000	F	98%	1%	1%	0%	0%	C	0.098	F	0.601	16000	F
		To: SR 402 Quaker Lane														
420 Janneys Lane	City of Alexandria	From: SR 402 Quaker Lane	1.03	5800	F	98%	1%	1%	0%	0%	F	0.091	F	0.614	6200	F
		To: SR 7														
90005 400 Washington St	City of Alexandria	From: SCL Alexandria	0.91	28000	F	100%	0%	0%	0%	0%	C	0.106	F	0.795	30000	F
		To: SR 236 Duke St														
90005 400 Washington St	City of Alexandria	From: SR 236 Duke St	0.32	30000	F	100%	0%	0%	0%	0%	F	0.078	F	0.796	33000	F
		To: Queen St														
90005 400 Washington St	City of Alexandria	From: Queen St	0.39	33000	F	100%	0%	0%	0%	0%	F	0.085	F	0.801	36000	F
		To: Madison St														
90005 400 Washington St	City of Alexandria	From: Madison St	0.17	33000	F	100%	0%	0%	0%	0%	F	0.08	F	0.586	35000	F
		To: 1st Street														
90005 George Washington Memorial Parkway	City of Alexandria (Maint: US )	From: 1st Street	1.81	33000	O							NA			NA	
		To: NCL Alexandria														

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
							2Axle	3+Axle	1Trail	2Trail								
City of Alexandria																		
①	Cameron St	1.00	5200	From:	Commonwealth Ave							C	0.105	F		5600	F	2006
				To:	Fairfax St													
②	Daingerfield Rd	0.19	5700	From:	SR 236 Duke St							C	0.085	F	0.637	6100	F	2006
				To:	SR 7 King St													
③	Filmore Ave	0.36	3500	From:	Seminary Rd							C	0.105	F	0.557	3700	F	2006
				To:	N Beauregard St													
④	Franklin St	0.40	3500	From:	US 1 Patrick St							C	0.093	F	0.845	3700	F	2006
				To:	Fairfax St													
⑤	Gibbon St	0.40	1400	From:	US 1 Patrick St							C	0.104	F	0.821	1500	F	2006
				To:	Fairfax St													
⑥	Holland Lane	0.32	8500	From:	Eisenhower Ave							C	0.099	F	0.566	9100	F	2006
				To:	SR 236 Duke St													
⑦	King Street	0.24	5100	From:	SR 400 Washington St							F	0.083	F	0.559	5500	F	2006
				To:	100-21 Fairfax Street													
⑧	Lincolnia Rd	0.11	4600	From:	Breckenridge Pl							C	0.079	F	0.584	5000	F	2006
				To:	Beauregard St													
⑨	Mill Rd	0.88	6200	From:	W Eisenhower Ave							C	0.11	F	0.883	6600	F	2006
				To:	E Eisenhower Ave													
⑩	Montgomery St	0.48	3100	From:	Fairfax St							C	0.105	F		3400	F	2006
				To:	US 1 Par, Henry St													
⑪	Pendleton St	0.66	3400	From:	West St							C	0.099	F	0.539	3700	F	2006
				To:	Fairfax St													
⑫	Pershing Ave	0.16	11000	From:	SR 241 Telegraph Rd							C	0.116	F	0.937	12000	F	2006
				To:	Stovall St													
⑬	Prince St	0.50	6000	From:	Reinekers Lane							C	0.109	F	0.543	6500	F	2006
				To:	US 1 Patrick St													
⑬	Prince St	0.18	5000	From:	US 1 Patrick St							C	0.095	F	0.546	5400	F	2006
⑬	Prince St	0.24	2700	From:	SR 400 Washington St							C	0.123	F	0.879	2900	F	2006
				To:	Fairfax St													
⑭	Slaters Lane	0.38	10000	From:	US 1 Jefferson Davis Hwy							C	0.099	F	0.731	11000	F	2006
				To:	George Washington Memorial Pkwy													
⑮	Stevenson Ave	0.16	11000	From:	Walker St							C	0.087	F	0.567	12000	F	2006
				To:	S Van Dorn St													
⑯	Stoval St	0.13	11000	From:	100-6588; Eisenhower Ave							F	0.091	F	0.825	12000	F	2006
				To:	100-9 Mill Rd													
⑰	Walker St	0.10	21000	From:	Stevenson Rd							C	0.074	F	0.558	23000	F	2006
				To:	SR 236 Duke St													

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
2Axle 3+Axle 1Trail 2Trail																		
City of Alexandria																		
(18)	West St	0.63	5700	From:	Duke St							C	0.105	F	0.642	6200	F	2006
				To:	Wythe St													
(19)	1st St	0.06	6100	From:	SR 400; Washington St							F	0.117	F	0.736	6600	F	2006
				To:	Saint Asaph St													
(19)	1st St	0.05	4200	From:	1% 0% 0% 0%							C	0.111	F	0.703	4600	F	2006
				To:	Pitt St													
(20)	Wythe St	0.66	5100	From:	West St							C	0.094	F	0.658	5500	F	2006
				To:	Fairfax St													
(21)	Fairfax St	1.12	5300	From:	Franklin St							C	0.104	F	0.648	5700	F	2006
				To:	Montgomery St													
(22)	Church St	0.09	2100	From:	I-95 Ramp							F	0.22	F	0.971	2200	F	2006
				To:	SR 400 Washington St													
(6500)	Duke St	0.23	4400	From:	SR 400 Washington St							C	0.079	F	0.528	4700	F	2006
				To:	Fairfax St													
(6572)	Edsall Rd	0.49	15000	From:	WCL Alexandria							C	0.081	F	0.528	16000	F	2006
				To:	Van Dorn St													
(6572)	Edsall Rd	0.24	10000	From:	1% 2% 0% 0%							F	0.093	F	0.583	11000	F	2006
				To:	S Pickett St													
(6573)	Van Dorn St	1.08	5700	From:	Seminary Rd							C	0.125	F	0.857	6100	F	2006
				To:	SR 7 King St													
(6575)	S Pickett St	0.36	12000	From:	Van Dorn St							F	0.075	F	0.513	12000	F	2006
				To:	Edsall Rd													
(6575)	S Pickett St	0.57	15000	From:	2% 1% 0% 0%							C	0.080	F	0.521	16000	F	2006
				To:	SR 236 Duke St													
(6579)	Clermont Ave	0.13	15000	From:	I 95 Ramps							C	0.104	F	0.845	17000	F	2006
				To:	100-6588 Eisenhower Ave													
(6583)	W Taylor Run Pkwy	0.52	4000	From:	Duke St							C	0.083	F	0.54	4300	F	2006
				To:	Janneys Lane													
(6584)	Pitt St	0.07	4300	From:	Montgomery St							C	0.111	F	0.730	4600	F	2006
				To:	1st Street													
(6585)	Commonwealth Ave	0.94	6400	From:	King St							F	0.091	F	0.539	6900	F	2006
				To:	Monroe Ave													
(6585)	Commonwealth Ave	0.79	6200	From:	1% 0% 0% 0%							C	0.095	F	0.558	6600	F	2006
				To:	Mt Vernon Ave													
(6585)	Commonwealth Ave	0.41	4000	From:	1% 0% 0% 0%							F	0.089	F	0.588	4300	F	2006
				To:	Reed St													
(6586)	Diagonal Rd	0.30	7100	From:	SR 236 Duke St							C	0.096	F	0.912	7600	F	2006
				To:	SR 7 King St													
(6587)	Powhatan St	0.45	2100	From:	Washington St							C	0.11	F	0.594	2300	F	2006
				To:	US 1 Jefferson Davis Hwy													

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
							2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																	
(6588)	Eisenhower Ave	0.94	13000	From: SR 241 Telegraph Rd	F	96%	1%	1%	1%	0%	C	0.094	F	0.696	14000	F	2006
				To: Holland Lane													
(6591)	Mt Vernon Ave	1.21	8100	From: Braddock Rd	F	95%	3%	2%	0%	0%	C	0.081	F	0.531	8700	F	2006
				To: Commonwealth Ave													
(6591)	Mt Vernon Ave	1.00	10000	From: NCL Alexandria	G	95%	3%	2%	0%	0%	F	NA			11000	G	2006
				To: NCL Alexandria													
(6592)	Braddock Rd	1.72	12000	From: Beauregard St	F	98%	1%	1%	0%	0%	C	0.099	F	0.657	13000	F	2006
				To: SR 7 King St													
(6592)	Braddock Rd	1.39	11000	From: Russell Rd	F	98%	1%	1%	0%	0%	C	0.105	F	0.518	12000	F	2006
				To: Russell Rd													
(6592)	Braddock Rd	0.77	7200	From: West St	F	98%	1%	1%	0%	0%	F	0.102	F	0.536	7700	F	2006
				To: West St													
(6593)	Callahan Dr	0.22	14000	From: SR 236 Duke St	F	98%	0%	1%	0%	0%	C	0.084	F	0.606	15000	F	2006
				To: SR 7 King St													
(6593)	Russell Rd	0.89	8500	From: Monroe Ave	F	98%	0%	1%	0%	0%	F	0.089	F	0.51	9100	F	2006
				To: Monroe Ave													
(6593)	Russell Rd	0.31	6200	From: Windsor Ave	F	98%	0%	1%	0%	0%	C	0.100	F	0.631	6600	F	2006
				To: Windsor Ave													
(6593)	Russell Rd	1.06	6500	From: West Glebe Rd	F	98%	0%	1%	0%	0%	F	0.105	F	0.637	7000	F	2006
				To: West Glebe Rd													
(6593)	Russell Rd	0.16	5400	From: Mt Vernon Ave	F	98%	0%	1%	0%	0%	F	0.107	F	0.703	5800	F	2006
				To: Mt Vernon Ave													
(6594)	Gunston Rd	0.26	2500	From: Quaker Lane	F	97%	3%	1%	0%	0%	C	0.115	F	0.777	2600	F	2006
				To: Valley Dr													
(6595)	Quaker Lane	0.62	23000	From: Duke St	F	98%	1%	1%	0%	0%	C	0.092	F	0.639	24000	F	2006
				To: Seminary Rd													
(6595)	Valley Dr	1.33	830	From: West Glebe Rd	F	98%	1%	1%	0%	0%	C	0.112	F	0.539	890	F	2006
				To: Braddock Rd													
(6596)	Monroe Ave	0.79	9400	From: Russell Rd	F	99%	0%	1%	0%	0%	C	0.089	F	0.599	10000	F	2006
				To: US 1 Jefferson Davis Hwy													
(6597)	Monticello Blvd	0.21	2400	From: Russell Rd	F	97%	1%	2%	0%	0%	F	0.095	F	0.531	2600	F	2006
				To: Old Dominion Blvd													
(6597)	Old Dominion Blvd	0.71	830	From: Monticello Blvd	F	97%	1%	2%	0%	0%	C	0.089	F	0.593	890	F	2006
				To: West Glebe Rd													
(6597)	Tennessee Ave	0.17	740	From: Old Dominion Blvd	F	97%	1%	2%	0%	0%	F	0.101	F	0.57	800	F	2006
				To: Old Dominion Blvd													
(6597)	Tennessee Ave	0.25	1600	From: Halcyon Dr	F	97%	1%	2%	0%	0%	F	0.111	F	0.68	1800	F	2006
				To: Halcyon Dr													
(6597)	Martha Custis Dr	0.52	4500	From: Valley Dr	F	97%	1%	2%	0%	0%	F	0.093	F	0.519	4900	F	2006
				To: Valley Dr													
(6599)	Cameron Mills Rd	0.39	1800	From: Gunston Rd	F	95%	1%	4%	0%	0%	C	0.098	F	0.524	1900	F	2006
				To: Braddock Rd													
				To: Summit Ave													

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Alexandria</b>																
(6600) Crest St	0.27	1300	F	98%	0%	1%	0%	0%	0%	C	0.098	F	0.511	1400	F	2006
						From: Braddock Rd										
						To: Valley Dr										
(6600) Summit Ave	0.27	1600	F	98%	0%	1%	0%	0%	0%	F	0.094	F	0.525	1700	F	2006
						From: Cameron Mills Rd										
						To: Old Dominion Blvd										
(6600) Monticello Blvd	0.23	2400	F	98%	0%	1%	0%	0%	0%	F	0.129	F	0.616	2600	F	2006
						From: SR7 King St										
						To: Braddock Rd										
(6601) Scroggins Rd	0.36	1200	F	99%	0%	1%	0%	0%	0%	C	0.093	F	0.512	1300	F	2006
						From: NCL Alexandria										
						To: Mount Vernon Ave										
(6602) W Glebe Rd	0.94	15000	F	98%	0%	1%	0%	0%	0%	F	0.079	F	0.52	17000	F	2006
						From: US 1 Jefferson Davis Hwy										
						To: Mt Vernon Ave										
(6602) E Glebe Rd	0.62	9700	F	98%	0%	1%	0%	0%	0%	C	0.075	F	0.553	10000	F	2006
						From: US 1 Jefferson Davis Hwy										
						To: US 1 Jefferson Davis Hwy										
(6604) Reed Ave	0.54	3300	F	97%	0%	2%	0%	0%	0%	C	0.076	F	0.539	3600	F	2006
						From: WCL Alexandria										
						To: Braddock Rd										
(6622) Beauregard St	2.34	18000	F	99%	1%	1%	0%	0%	0%	C	0.087	F	0.596	19000	F	2006
						From: Braddock Rd										
						To: SR 7 King St										
(6622) Beauregard St	0.28	15000	F	98%	1%	0%	0%	0%	0%	C	0.088	F	0.546	17000	F	2006
						From: NCL Alexandria										
						To: SR 401 Van Dorn St										
(6622) Walter Reed Dr	0.07	13000	F	99%	0%	0%	0%	0%	0%	C	0.094	F	0.618	14000	F	2006
						From: Jordan St										
						To: Taney Ave										
(6698) Taney Dr	1.04	2700	F	96%	3%	1%	0%	0%	0%	C	0.153	F	0.754	2900	F	2006
						From: Pickett St										
						To: Pegram St										
(6701) Pegram St	0.78	2000	F	99%	0%	1%	0%	0%	0%	C	0.107	F	0.769	2200	F	2006
						From: Seminary Rd										
						To: Beauregard St										
(6701) Pickett St	0.15	2600	F	98%	0%	1%	0%	0%	0%	C	0.103	F	0.518	2800	F	2006
						From: SR 401 Van Dorn St										
						To: SR 236 Duke St										
(6702) Sanger Ave	0.37	12000	F	99%	0%	0%	0%	0%	0%	C	0.091	F	0.602	13000	F	2006
						From: SR 420 Seminary Rd										
						To: Fairfax County Line; 29-716										
(6703) Jordan St	0.94	6600	F	99%	0%	0%	0%	0%	0%	C	0.096	F	0.671	7100	F	2006
						From: Beauregard St										
						To: I-395 Shirley Hwy; SR 420										
(6706) Seminary Rd	0.60	38000	F	98%	1%	1%	0%	0%	0%	C	0.081	F	0.574	41000	F	2006
						From: Jordan St										
						To: Braddock Rd										
(6706) Seminary Rd	0.22	47000	F	98%	1%	1%	0%	0%	0%	F	0.081	F	0.617	51000	F	2006
						From: Braddock Rd										
						To: SR 7 King St										
(6707) Howard St	0.92	4900	F	98%	1%	0%	0%	0%	0%	C	0.107	F	0.760	5200	F	2006
						From: Kenwood Ave										
						To: Crest St										
(6711) Hampton Dr N	0.43	4600	F	97%	0%	2%	0%	0%	0%	C	0.098	F	0.751	4900	F	2006
						From: Braddock Rd										
						To: Crest St										
Braddock Rd.		13000	F								0.097	F		15000	F	2006

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
Canterbury Lane	From:	180	F	Chancel Pl							0.106	F		190	F	2006
	To:			Trinity Dr												
Clifford Ave	From:	470	F	Turner Rd							0.097	F		500	F	2006
	To:			Montross Ave												
Curtis Ave	From:	300	F	Russell Rd							0.122	F		320	F	2006
	To:			Rosecrest Ave												
Glendale Ave	From:	230	F	Newton St							0.113	F		250	F	2006
	To:			Wayne St												
Green St	From:	3000	F	Washington St							0.131	F		3200	F	2006
	To:			Asaph St												
Hickory St	From:	270	F	Kennedy St							0.123	F		290	F	2006
	To:			Dead End												
Kentucky Ave	From:	360	F	Old Dominion Blvd							0.109	F	0.635	390	F	2006
	To:			Russell Rd												
Key Dr	From:	140	F	Francis Hammond Pkwy							0.143	F		150	F	2006
	To:			Roan Lane												
Mansion Dr	From:	280	F	Virginia Ave							0.099	F		310	F	2006
	To:			Russell Rd												
Mount Vernon Ave	From:	6800	F	Monroe Ave							0.098	F		7300	F	2006
	To:			Nelson Ave												
N Owen St	From:	120	F	Taney Ave							0.148	F		130	F	2006
	To:			Polk Ave												
Old Dominion Blvd	From:	1000	F	Kentucky Ave							0.098	F		1100	F	2006
	To:			Halcyan Dr												
Rayburn Ave	From:	1200	F	Reading Ave							0.089	F		1300	F	2006
	To:			N Beauregard St												
Ridge Rd	From:	240	F	Summit Ave							0.093	F		260	F	2006
	To:			Fordham Rd												
Rose Crest Ave	From:	320	F	Russel Rd							0.121	F		350	F	2006
	To:			Custis Ave												
S French St	From:	600	F	Usher Ave							0.117	F		650	F	2006
	To:			SR 236 Duke St												
S Pickett St	From:	5600	F	SR 401 Van Dorn St							0.080	F		6000	F	2006
	To:			Dead End												
Stewart Ave	From:	460	F	Mt Vernon Ave							0.102	F		500	F	2006
	To:			Dewitt Ave												
Ulane Ave	From:	410	F	N Gladden St							0.132	F		440	F	2006
	To:			N Grayson St												

Virginia Department of Transportation  
Traffic Engineering Division  
2006  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Alexandria

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Alexandria																
West St		5300	F			From: Pendleton St				0.107	F	0.647	5700	F	2006	
						To: Oronoco St										
Yoakum Pkwy		6000	F			From: Edsall Rd				0.092	F		6500	F	2006	
						To: Stevenson Rd										